



ER SERIES TORQUE REELS

Applications

- Used in engineering, manufacturing, abattoirs, process lines and job shops.
- This model with a long cable travel is suitable for hanging pendant switch because of its ratchet system.

Features

- Can be stopped on the way of cable travel because of ratchet system.
- Cable jamming will not occur because of its cylindrical drum.
- Lightweight and compact.
- Supplied with ratchet.
- Strong steel cable.



Capacity Min (kg)	Part No.	Model	Hose Travel (m)	Weight (kg)
3.0	43349	ER-3 (A)	3	1.4
5.0	43350	ER-5 (A)	3	1.5

ERP SERIES SPRING BALANCERS

Applications

- Used in engineering, manufacturing, abattoirs, process line and job shops.
- Suspension of electric or pneumatic power tools, or for hanging tools, parts or welding equipment at workstations or assembly lines

Features

- Strong, lightweight aluminium body.
- Easy maintenance with interchangeable kit parts.
- Tapered drum for exact torque retraction across the full stroke.
- Handle system spring adjustment.



Capacity Min (kg)	Capacity Max (kg)	Part No.	Model	Stroke (m)	Weight (kg)
0.3	0.6	43997	ERP-06	1.5	0.4
1.0	2.0	45506	ERP-02	1.5	0.4

AIR TOOL BALANCERS

Air Tool balancers perform the function of both hose reel and balancer.

Applications

- Used in engineering, manufacturing, abattoirs, process line and job shops.
- Suspension of air tools.



Features

- Strong acrylonitrile plactic body.
- Tough urethane hose.
- Easy maintenance with interchangeable kit parts.
- Ratchet system spring adjustment.

Capacity Min (kg)	Capacity Max (kg)	Part No.	Model	Hose Travel (m)	Weight (kg)
0.5	1.5	43351	ATB-0	1.3	1.6
1.5	3.0	43352	ATB-1	1.3	1.7

KITOPWB

Premium Quality Products

For more information:

Call 1300 792 262

Visit www.kitopwb.com.au

Head Office & Manufacturing Plant

441 Grimshaw Street, Bundoora, VIC 3083 Tel: 1300 792 262 Fax: 03 9467 7290 Email: vicsales@kitopwb.com.au

QLD Office

1/119 Bandarra Street, Richlands, QLD 4077 Tel: 07 3375 1288

Email: qldsales@kitopwb.com.au

NSW Office

98 Forrester Road, St Marys, NSW 2760 Tel: 02 8886 5200 Email: nswsales@kitopwb.com.au

WA Office

2/11 Mallaig Way, Canning Vale, WA 6155 Tel: 08 9256 2499

Email: wasales@kitopwb.com.au





EK SERIES SPRING BALANCERS

Applications

- Used in engineering, manufacturing, abattoirs, process lines and job shops.
- Suspension of electric or pneumatic power tools, or for hanging tools, parts or welding equipment at workstations or assembly lines.

Features

- Strong, lightweight aluminium body.
- Easy maintenance with interchangeable kit parts.
- Tapered drum for exact torque retraction across the full stroke.
- Ratchet system spring adjustment.
- Strong steel cable.



Capacity Min (kg)	Capacity Max (kg)	Part No.	Model	Stroke (m)	Weight (kg)
0.5	1.5	43335	EK-00	0.5	0.2
0.5	1.5	43334	EK-0	1.0	0.5

EW SERIES SPRING BALANCERS

Applications

- Used in engineering, manufacturing, abattoirs, process lines and job shops.
- Suspension of electric or pneumatic power tools, or for hanging tools, parts or welding equipment at workstations or assembly lines.



Features

- Strong, lightweight aluminium body.
- Heavy duty top and bottom hook.
- Easy maintenance with interchangeable kit parts.
- Tapered drum for exact torque retraction across the full stroke.
- Ratchet system spring adjustment.
- Strong steel cable.

Capacity Min (kg)	Capacity Max (kg)	Part No.	Model	Stroke (m)	Weight (kg)
1.0	3.0	47885	EW-3	1.3	1.4
2.5	5.0	47886	EW-5	1.3	1.5

EWS SERIES SPRING BALANCERS

Applications

- Used in engineering, manufacturing, abattoirs, process lines and job shops.
- Suspension of electric or pneumatic power tools, or for hanging tools, parts or welding equipment at workstations or assembly lines.



Features

- Strong lightweight aluminium body.
- Heavy duty top and bottom hook.
- Easy maintenance with interchangeable kit parts.
- ✓ Tapered drum for exact torque retraction across the full stroke.
- Fall arrest and drum lock device.
- Worm gear spring adjustment.
- Strong steel cable.

Capacity Min (kg)	Capacity Max (kg)	Part No.	Model	Hose Travel (m)	Weight (kg)
1.5	3.0	45352	EWS-3	1.3	1.4
3.0	5.0	45353	EWS-5	1.3	1.5
5.0	7.0	45360	EWS-7	1.3	2.1

KITOPWB

Premium Quality Products

For more information:

Call 1300 792 262

Visit www.kitopwb.com.au

Head Office & Manufacturing Plant

441 Grimshaw Street, Bundoora, VIC 3083 Tel: 1300 792 262 Fax: 03 9467 7290 Email: vicsales@kitopwb.com.au

OLD Office

1/119 Bandarra Street, Richlands, QLD 4077 Tel: 07 3375 1288

Email: qldsales@kitopwb.com.au

NSW Office

98 Forrester Road, St Marys, NSW 2760 Tel: 02 8886 5200 Email: nswsales@kitopwb.com.au

WA Office

2/11 Mallaig Way, Canning Vale, WA 6155

Tel: 08 9256 2499

Email: wasales@kitopwb.com.au